

SBP-050NBW

Cabinet

Key Features

- Materials : PC(Polycarbonate), Aluminum
- Dimensions : ø240x290x123.1mm (ø9.45x11.42x4.85")
- Weight : 2.5kg (5.51lb)
- Max. load : 5kg (11.02lb)

※ Conduit hole : 12.7mm(1/2")(M20, 1pcs) / 19.1mm(3/4")(M25, 4pcs)

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SBP-050NBW

Cabinet



Specifications

Environmental

Operating Temperature / Humidity	-40°C~+65°C (-40°F~+149°F) / 0~100% RH (condensing) Humidity control /w Air vent
Storage Temperature / Humidity	-50°C~+65°C (-58°F~+149°F) / 0~95% RH
Certification	IP66, IK10, NEMA 4X

Mechanical

Color	White
Material	PC(Polycarbonate), Aluminum
RAL code	RAL9003
Product dimensions / weight	240x290x123.1mm(9.45x11.42x4.85) / 2.5kg
Mount Screw size	TR20, T30
Max. load	5KG
Conduit hole	12.7mm(1/2")(M20, 1pcs) / 19.1mm(3/4")(M25, 4pcs)
Supported products	SBP-050NBW: QNV-C6083R ,QNV-C8083R,QNV-C9083R,QNE-C8013RL,QNE-C9013RL,XNO-C6083R,XNO-C7083R,XNO-C8083R,XNO-C9083R,XNO-6083R,XNO-8083R,XNO-9083R,XNF-9010RV,XNF-9013RV,XND-8082RV,XND-9082RV,XND-C6083RV,XND-C7083RV,XND-C8083RV,XND-C9083RV,XNV-C6083R,XNV-C7083R,XNV-C8083R,XNV-C9083R,XND-6083RV,XND-8083RV,XND-8093RV,XND-9083RV,PND-A6081RV,PND-A9081RV,ANE-L8082R,XNV-6083RZ,XNV-8083RZ,XNV-9083RZ,XNV-6083Z,XNV-8083Z,XNV-6123R,XNV-8082R,XNV-9082R,XNV-6083R,XNV-8083R,XNV-8093R,XNV-9083R,PNV-A6081R,PNV-A9081R,PNO-A9311R,TNO-C3010TRA,TNO-C3012TRA,TNO-C3020TRA,TNO-C3022TRA,TNO-C3030TRA,TNO-C3032TRA,SBV-140BW,SBO-140BW,SBO-090GP,SBD-110GP1,SBP-060BA, SBP-061BA (SBP-156WMW): XNP-C6403,XNP-C6403R,XNP-C8253,XNP-8253R,XNP-C9253,XNP-C9253R,QNP-6250H,QNP-6320H,QNP-6250R, QNP-6320R (SBP-250WMW): QNV-C6083R,QNV-C8083R,QNV-C9083R,QNE-C8013RL,QNE-C9013RL,XNO-C6083R,XNO-C7083R,XNO-C8083R,XNO-C9083R,XNO-6083R,XNO-8083R,XNO-9083R,XNF-9010RV,XNF-9013RV,XND-8082RV,XND-9082RV,XND-C6083RV,XND-C7083RV,XND-C8083RV,XND-C9083RV,XNV-C6083R,XNV-C7083R,XNV-C8083R,XNV-C9083R,XND-6083RV,XND-8083RV,XND-8093RV,XND-9083RV,PND-A6081RV,PND-A9081RV,ANE-L8082R,XNV-6083RZ,XNV-8083RZ,XNV-9083RZ,XNV-6083Z,XNV-8083Z,XNV-6123R,XNV-8082R,XNV-9082R,XNV-6083R,XNV-8083R,XNV-8093R,XNV-9083R,PNV-A6081R,PNV-A9081R,PNO-A9311R,TNO-C3010TRA,TNO-C3012TRA,TNO-C3020TRA,TNO-C3022TRA,TNO-C3030TRA,TNO-C3032TRA,SBV-140BW,SBO-140BW,SBO-090GP,SBD-110GP1

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.


SBP-050NBW

Cabinet



CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.