

SHD-1372FPW

In-ceiling Housing

Key Features

- Color : White
- Material: Aluminum
- Product dimensions / Weight: ø352x107mm (ø13.86x4.23") / 2450g (5.40lb)
  ※ Ceiling hole size : 19.1mm(3/4")(M25), 12.7mm(1/2")(M20)
- Tile thickness : 10~70mm (0.4~2.8")

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SHD-1372FPW

In-ceiling Housing



Specifications

Mechanical

Color	White
Material	Aluminum
RAL code	RAL9003
Product dimensions / weight	ø352x107.4mm(ø13.86x4.23") / 2450g(5.40lb)
Tile thickness	10~70mm(0.4~2.8")
Mount Screw size	TR20
Max. load	5Kg(11.02lb) ※ Maximum load of ceiling board: 11.6kg(25.60lb)
Conduit hole	19.1mm(3/4")(M25), 12.7mm(1/2")(M20)
Supported products	PND-A7082RV, PND-A9082RV, PND-A6081R, PND-A9081R, XND-6083RV, XND-8083RV, XND-8093RV, XND-9083RV

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.


SHD-1372FPW

In-ceiling Housing



CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.