AXIS TP3908–E Extension Pipe

With 1.5" NPS thread

Extend the distance between a surveillance camera and its mounting surface (ceiling, wall, or pole) with this extension pipe mounting accessory. It's available in 3 lengths: 15 cm (6"), 30 cm (12"), and 100 cm (39"), and can be mounted both horizontally and vertically. With a 1.5" NPS thread, it can be securely attached to other components such as mounting brackets or junction boxes. Made from powder-coated aluminum, it's protected against corrosion and scratches. Furthermore, it's available in black or white to blend in with various surroundings.

- > Available in three lengths
- > Available in black and white
- > Vertical or horizontal mounting
- > Powder-coated aluminum
- > Indoor and outdoor use





AXIS TP3908–E Extension Pipe

Variants
AXIS TP3908–E Extension Pipe Black 15 cm
AXIS TP3908–E Extension Pipe Black 30 cm
AXIS TP3908–E Extension Pipe Black 100 cm
AXIS TP3908–E Extension Pipe White 15 cm
AXIS TP3908–E Extension Pipe White 30 cm
AXIS TP3908–E Extension Pipe White 100 cm

Support
AXIS T91B50 Telescopic Ceiling Mount
AXIS T91B51 Ceiling Mount
AXIS T91B63 Ceiling Mount
AXIS T91B67 Pole Mount
AXIS T91D61 Wall Mount 1.5" NPS
AXIS T91D62 Telescopic Parapet Mount
AXIS TP3004-E Wall Mount Black
AXIS TP3301-E Pole Mount Black

Approvals

Environment
IEC 60721-3-3 Class 3M3, IEC/EN 62262 IK10, NEMA 250 Type 4X (corrosion part only)

General

Casing
IK10- and NEMA 4X- (corrosion part only) rated
Color: white NCS S 1002–B (for white version)
Color: black NCS S 9000–N (for black version)
Aluminum casing

Environment
Indoor
Outdoor

Maximum load
Valid for horizontal mounting
AXIS TP3908–E Extension Pipe 15 cm : 10 kg (22 lb)
AXIS TP3908–E Extension Pipe 30 cm : 6 kg (13.2 lb)
AXIS TP3908–E Extension Pipe 100 cm : 3 kg (6.6 lb)

Weight
AXIS TP3908–E Extension Pipe 15 cm : 460 g (1.0 lb)
AXIS TP3908–E Extension Pipe 30 cm : 756 g (1.7 lb)
AXIS TP3908–E Extension Pipe 100 cm : 2150 g (4.7 lb)

Box content
Pipe, Installation Guide


Optional accessories
AXIS T94A01D Pendant Kit
AXIS T94M01D Pendant Kit
AXIS TP3105–E Pendant Kit Black
AXIS TP3106–E Pendant Kit Black
For more accessories, see *www.axis.com*

Part numbers
Available at *axis.com/products/axis-tp3908-e-extension-pipe#part-numbers*

Warranty
3-year warranty, see *axis.com/warranty*

Sustainability

Environmental responsibility
axis.com/environmental-responsibility
Axis Communications is a signatory of the UN Global Compact, read more at *unglobalcompact.org*




© 2025 Axis Communications AB. All rights reserved.

AXIS TP3908-E Extension Pipe White 15 cm

Dimensions in mm [inch]

Date	Version	Scale
2025 Jun-30	M1.1	1:3
Drawing Number	Size	Sheet
3382066	A3	1(1)




AXIS TP3908-E Extension Pipe Black 15 cm

Dimensions in mm [inch]

Date	Version	Scale
2025 Jun-26	M1.1	1:3
Drawing Number	Size	Sheet
3380105	A3	1(1)

© 2025 Axis Communications AB. All rights reserved.




© 2025 Axis Communications AB. All rights reserved.

AXIS TP3908-E Extension White 30 cm

Dimensions in mm [inch]

Date	Version	Scale
2025 Jun-30	M1.1	1:4
Drawing Number	Size	Sheet
3382173	A3	1(1)




AXIS TP3908-E Extension Pipe Black 30 cm

Dimensions in mm [inch]

Date	Version	Scale
2025 Jun-26	M1.1	1:4
Drawing Number	Size	Sheet
3380347	A3	1(1)

© 2025 Axis Communications AB. All rights reserved.



AXIS TP3908-E Extension White 100 cm


Dimensions in mm [inch]

Date	Version	Scale
2025 Jun-30	M1.1	1:3
Drawing Number	Size	Sheet
3382231	A3	1(1)

© 2025 Axis Communications AB. All rights reserved.

© 2025 Axis Communications AB. AXIS COMMUNICATIONS, AXIS, ARTPEC and VAPIX are registered trademarks of Axis AB in various jurisdictions. All other trademarks are the property of their respective owners. We reserve the right to introduce modifications without notice.

www.axis.com



AXIS TP3908-E Extension Pipe Black 100 cm

Dimensions in mm [inch]

Date	Version	Scale
2025 Jun-27	M1.1	1:3
Drawing Number	Size	Sheet
3380366	A3	1(1)

© 2025 Axis Communications AB. All rights reserved.

T10227125/EN/M3.2/202510