

## iiyama G-MASTER GCB3486WQSCP-B1 écran plat de PC 86,4 cm (34") 1440 x 3440 pixels 4K Ultra HD Noir

Marque : iiyama

Famille de produit: G-MASTER

Code produit:  
GCB3486WQSCP-B1

Nom du produit :  
GCB3486WQSCP-B1

34", 86.4cm, VA, 3440 x 1440, 80M:1, 24 - 360kHz, 808 x 414.5 (544.5) x 275mm, 8kg  
iiyama G-MASTER GCB3486WQSCP-B1. Taille de l'écran: 86,4 cm (34"), Résolution de l'écran: 1440 x 3440 pixels, Type HD: 4K Ultra HD, Temps de réponse: 0,4 ms, Format d'image: 21:9, Angle de vision horizontal: 178°, Angle de vision vertical: 178°. Haut-parleurs intégrés. Concentrateur USB intégré, Version du concentrateur USB: 3.2 Gen 1 (3.1 Gen 1). Montage VESA, Réglage de la hauteur. Couleur du produit: Noir



| Display                             |                       | Ports & interfaces                        |                                                                                     |
|-------------------------------------|-----------------------|-------------------------------------------|-------------------------------------------------------------------------------------|
| Display diagonal *                  | 86.4 cm (34")         | Headphone out *                           | ✓                                                                                   |
| Display resolution *                | 1440 x 3440 pixels    | Built-in KVM switch                       | ✓                                                                                   |
| HD type *                           | 4K Ultra HD           | HDCP                                      | ✓                                                                                   |
| Native aspect ratio *               | 21:9                  | <b>Network</b>                            |                                                                                     |
| Panel type *                        | VA                    | Ethernet LAN                              | ✓                                                                                   |
| Touchscreen *                       | ✗                     | <b>Ergonomics</b>                         |                                                                                     |
| Display brightness (peak)           | 500 cd/m <sup>2</sup> | VESA mounting *                           | ✓                                                                                   |
| Response time *                     | 0.4 ms                | Panel mounting interface                  | 100 x 100 mm                                                                        |
| Screen shape *                      | Curved                | Wall mountable                            | ✓                                                                                   |
| Screen curvature rating             | 1500R                 | Cable management                          | ✓                                                                                   |
| Supported graphics resolutions      | 3440 x 1440           | Cable lock slot *                         | ✓                                                                                   |
| Contrast ratio (typical) *          | 4000:1                | Cable lock slot type                      | Kensington                                                                          |
| Maximum refresh rate *              | 240 Hz                | Height adjustment *                       | ✓                                                                                   |
| Viewing angle, horizontal           | 178°                  | Adjustable height (max)                   | 13 cm                                                                               |
| Viewing angle, vertical             | 178°                  | Tilt adjustment                           | ✓                                                                                   |
| Display number of colours *         | 1.67 billion colours  | Tilt angle range                          | 18.5 - 3.5°                                                                         |
| Horizontal scan range               | 24 - 360 kHz          | On Screen Display (OSD) languages         | Czech, German, Dutch, English, Estonian, French, Italian, Japanese, Polish, Russian |
| Viewable size, horizontal           | 33.4 cm               | Number of OSD languages                   | 10                                                                                  |
| Viewable size, vertical             | 79.7 cm               | LED indicators                            | Power, Signal strength                                                              |
| Display diagonal (metric)           | 86.4 cm               | <b>Power</b>                              |                                                                                     |
| High Dynamic Range (HDR) supported  | ✓                     | Energy efficiency class (SDR) *           | F                                                                                   |
| High Dynamic Range (HDR) technology | DisplayHDR 400        | Energy efficiency class (HDR) *           | G                                                                                   |
| Colour depth                        | 8 bit                 | Energy consumption (SDR) per 1000 hours * | 32 kWh                                                                              |
| sRGB coverage (typical)             | 99%                   | Energy consumption (HDR) per 1000 hours * | 52 kWh                                                                              |
| NTSC coverage (typical)             | 72%                   | Power consumption (typical) *             | 52 W                                                                                |
| <b>Performance</b>                  |                       | Power consumption (standby) *             | 0.5 W                                                                               |
| AMD FreeSync *                      | ✓                     | Power consumption (off)                   | 0.3 W                                                                               |
| AMD FreeSync type                   | FreeSync Premium      | AC input voltage                          | 100 - 240 V                                                                         |
| VESA Adaptive Sync support          | ✓                     | AC input frequency                        | 50 Hz                                                                               |
| Low Blue Light technology           | ✓                     |                                           |                                                                                     |
| <b>Multimedia</b>                   |                       |                                           |                                                                                     |
| Number of speakers                  | 2                     |                                           |                                                                                     |
| RMS rated power                     | 5 W                   |                                           |                                                                                     |

| Multimedia                                   |                        | Weight & dimensions      |                                                                    |
|----------------------------------------------|------------------------|--------------------------|--------------------------------------------------------------------|
| Built-in speaker(s) *                        | ✓                      | Width (with stand)       | 808 mm                                                             |
| Design                                       |                        | Depth (with stand)       | 275 mm                                                             |
| Market positioning *                         | Gaming                 | Height (with stand)      | 544.5 mm                                                           |
| Product colour *                             | Black                  | Weight (with stand)      | 8 kg                                                               |
| Colour name                                  | black                  | Width (without stand)    | 808 mm                                                             |
| Ports & interfaces                           |                        | Depth (without stand)    | 275 mm                                                             |
| Built-in USB hub *                           | ✓                      | Height (without stand)   | 414.5 mm                                                           |
| USB hub version                              | 3.2 Gen 1 (3.1 Gen 1)  | Packaging data           |                                                                    |
| USB upstream port type                       | USB Type-A, USB Type-C | Package type             | Box                                                                |
| Number of upstream ports                     | 4                      | Packaging content        |                                                                    |
| Number of USB Type-C upstream ports quantity | 1                      | Stand included           | ✓                                                                  |
| USB Type-A downstream ports quantity         | 2                      | Cables included          | DisplayPort, HDMI, Power, USB                                      |
| USB Type-C downstream ports quantity         | 1                      | Quick start guide        | ✓                                                                  |
| USB Power Delivery up to                     | 99 W                   | DisplayPort cable length | 1.85 m                                                             |
| HDMI *                                       | ✓                      | HDMI cable length        | 1.85 m                                                             |
|                                              |                        | Power cable length       | 1.85 m                                                             |
|                                              |                        | Other features           |                                                                    |
|                                              |                        | Certification            | CE, TÜV-GS, EAC, VCCI-B, PSE, RoHS support, ErP, WEEE, REACH, UKCA |



4948570125173

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-MAY-2025. Prints or copies of Information are only valid on the printed Publication date