

iivama TF1015MC-B3 Écran d'affichage dynamique Écran plat interactif 25,6 cm (10.1") LED 500 cd/m² HD Noir Écran tactile

Marque : iivama

Code produit: TF1015MC-B3

Nom du produit : TF1015MC-B3

iivama TF1015MC-B3. Conception du produit: Écran plat interactif. Taille de l'écran: 25,6 cm (10.1"), Technologie d'affichage: LED, Résolution de l'écran: 1280 x 800 pixels, Luminosité de l'écran: 500 cd/m², Type HD: HD, Écran tactile. Couleur du produit: Noir



Display		Performance	
Panel type	IPS	On Screen Display (OSD) languages	Simplified Chinese, German, English, Spanish, French, Italian, Japanese
Display diagonal *	25.6 cm (10.1")	HDCP	✓
Display technology *	LED	International Protection (IP) code	IP65
Display resolution *	1280 x 800 pixels	Mean time between failures (MTBF)	50000 h
Display brightness *	500 cd/m²	Power	
HD type *	HD	Power consumption (typical) *	6 W
Touchscreen *	✓	Power consumption (standby) *	1.5 W
Touchscreen technology	Projected capacitive system	Power consumption (off)	0.3 W
Number of simultaneous touchpoints	10	Energy efficiency class (SDR)	C
Native aspect ratio	16:10	Energy efficiency class (HDR)	Not available
Response time	29 ms	Energy consumption (SDR) per 1000 hours	6 kWh
Contrast ratio (typical)	800:1	Energy efficiency scale	A to G
Viewing angle, horizontal	178°	Weight & dimensions	
Viewing angle, vertical	178°	Display width	260.5 mm
Display number of colours	16.7 million colours	Display depth	39.5 mm
Pixel pitch	0.1695 x 0.1695 mm	Display height	183.5 mm
Active display area (W x H)	216.96 x 135.6 mm	Display weight	1.4 kg
Display diagonal (metric)	25.7 cm	Packaging data	
Maximum frame rate	75 fps	Package width	310 mm
Horizontal scan range	30 - 49.7 kHz	Package depth	370 mm
Surface hardness	7H	Package height	160 mm
Glass thickness	3.3 mm	Package weight	2.7 kg
Ports & interfaces		Packaging content	
HDMI ports quantity *	1	Remote control included	✓
DVI port *	✗	Cables included	AC, DisplayPort, HDMI, USB
VGA (D-Sub) input ports	1	Operational conditions	
DisplayPorts quantity *	1	Operating temperature (T-T)	0 - 40 °C
USB port *	✓	Storage temperature (T-T)	-20 - 60 °C
USB ports quantity	1		
Ethernet LAN *	✓		
Ethernet LAN (RJ-45) ports	1		

Design		Certificates	
Product design *	Interactive flat panel	Certification	CB, CE, TÜV-Bauart, EAC, cULus
Placement supported *	Indoor	Sustainability	
Orientation	Horizontal/Vertical	European Product Registry for Energy Labelling (EPREL) code	378636
Product colour *	Black	Features	
Screen shape	Flat	Wall mountable	✓
VESA mounting *	✓	Technical details	
Panel mounting interface	100 x 100 mm	Audio out (mini jack)	1
Performance		Other features	
Purpose *	Universal	Quick start guide	✓
On Screen Display (OSD)	✓	Plug and Play	✓
Number of OSD languages	7		



4948570124107

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-MAY-2025. Prints or copies of Information are only valid on the printed Publication date