

iiyama T1624MSC-B1 Écran d'affichage dynamique Écran plat interactif 39,6 cm (15.6") LCD 450 cd/m² Full HD Noir Écran tactile 24/7



Marque : iiyama

Code produit: T1624MSC-B1

Nom du produit : T1624MSC-B1

iiyama T1624MSC-B1. Conception du produit: Écran plat interactif. Taille de l'écran: 39,6 cm (15.6"), Technologie d'affichage: LCD, Résolution de l'écran: 1920 x 1080 pixels, Luminosité de l'écran: 450 cd/m², Type HD: Full HD, Écran tactile. horaires de service (heures/jours): 24/7. Couleur du produit: Noir

Display		Design	
Panel type	IPS	Product design *	Interactive flat panel
LED backlight	✓	Product colour *	Black
Display diagonal *	39.6 cm (15.6")	Screen shape	Flat
Display technology *	LCD	VESA mounting *	✓
Display resolution *	1920 x 1080 pixels	Panel mounting interface	100 x 100 mm
Display brightness *	450 cd/m²	Performance	
HD type *	Full HD	Purpose *	Universal
Touchscreen *	✓	Operating hours (hours/days)	24/7
Touchscreen technology	Projected capacitive system	Power	
Number of simultaneous touchpoints	10	Power consumption (typical) *	7 W
Native aspect ratio	16:9	Power consumption (standby) *	0.5 W
Response time	25 ms	Input voltage	12 V
Contrast ratio (typical)	800:1	Power consumption (off)	0.1 W
Viewing angle, horizontal	170°	Energy efficiency class (SDR)	E
Viewing angle, vertical	170°	Energy consumption (SDR) per 1000 hours	11 kWh
Display number of colours	16.7 million colours	Energy efficiency scale	A to G
Pixel pitch	0.17925 x 0.17925 mm	Computer system	
Active display area (W x H)	344.16 x 193.59 mm	Computer system *	✗
Display diagonal (metric)	39.5 cm	Built-in processor *	✗
Horizontal scan range	30 - 84 kHz	Weight & dimensions	
Surface hardness	6H	Display width	388 mm
Ports & interfaces		Display depth	159.5 mm
HDMI ports quantity *	1	Display height	245 mm
HDMI input ports quantity	1	Display weight	2.6 kg
DVI port *	✗	Width (with stand)	388 mm
USB port *	✓	Depth (with stand)	159.5 mm
USB ports quantity	2	Height (with stand)	245 mm
USB version	2.0	Weight (with stand)	2.6 kg
Ethernet LAN *	✗	Packaging content	
Wi-Fi *	✗	Cables included	AC, HDMI, USB
PC Audio in	✓	Technical details	
Audio		Sustainability certificates	ErP
Built-in speaker(s) *	✓		

Audio		Technical details	
Number of built-in speakers	2	Compliance certificates	CE, REACH, RoHS, WEEE
RMS rated power	4 W	Other features	
		Audio input	✓
		Built-in camera	✗



4948570120451

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-MAY-2025. Prints or copies of Information are only valid on the printed Publication date